

# Series of Cold welding machine SWM-J1 Portable Welding Machine

#### -. Advantage:



- 1. Welding Results is perfect
- 2. Pulling force test: constant to the joints.
- 3. The resistance test: Resistance value is not greater than that of the original wire.

4.changes of wire diameter: In order to meet the user's need for welding the wires of various materials our company can provide the cold welding dies having various kind if inner grooves for users

# $\equiv$ . How to choose the model

# 2.1 Single wire

ltem	Model	Copper wire size	Aluminum wire size	Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	14
Portable						J1
J1	SWJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1
10	SWM-2T	Ф0.30-				10
J2		Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Φ1.00-				10
J3		Ф3.25	Φ1.00-Φ5.00	300x180x300	36Kg	J3
J4TY	SWM- J4TY	Ф1.00-	Ф1.00-Ф6.00	550x550x920	130Kg	
		Ф4.00				14
J5TY	SWM-J5TY	Ф4.00-	Ф4.00- 14.00	1190x570x1100	650Kg	J4
		Ф8.00				

#### 2.2 Multi Wire



Item	Model	Wire size	Dimension	N.W	Die
1	SWMHD- 1	0.5 mm2-10mm2	600x500x1200mm	45KG	Quartz Glass Sleeve
2	SWMHD- 2	16mm2-120mm2	1260*660*1200mm	150KG	Quartz Glass Sleeve

# 三、Quotation

CUST	OMER CODE:	QUOTION N DATE:	0:		
CUSTC TEL: FAX: ATTN:	DMER INFORMATION:	MANUFACT PAYMENT T BENEFICIAF CO., LTD. ACCOUNT N BANK NAME ROAD SUB- BANK ADDR DISTRICT, S BANK TEL.:	ERMS:100 T RY: SHANGH NO.: 4507739 E: BANK OF BRANCH RESS:NO. 688 SHANGHAI, C 86-21-3377	CHINA, SHANGHA 3, DALIAN ROAD, Y CHINA 2960	AI DALIAN YANGPU
SN	DESCRIPTION	PICTURE	33772962 S QTY	WIFT CODE: BP FOB SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD
1	SWM-J1 Portable Welding Machine	R	1.00SET	700.00	700.00
2	J1 Dies		1.00SET	120.00	120.00
			ļ	TOTAL:	

# **REMARK:**

1, The detailed specification will be integral part of this quotation.



2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

3, Validity of quotation: the quotation is validly within 30 days after issue date.

- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, The quotation is based china standard material and package.
- 6, All the bank charge is paid by buyer.

# Leading the global wire and cable industry with intelligent manufacturing and new

materials.

# 四、SPECIFICATION

# SWM-J1 Portable cold welding machine




Product use	Copper, aluminum, gold, silver, nickel, platinum, zinc, tin, tantalum, niobium and other non-ferrous metals and their alloy wires' cold welding.
Welding Size	Си:Ф0.10~0.50mm, Al: Ф0.10~0.50mm,
Body material	Casting stainless steel
Advantage	Without power supply, safe and reliable, simple operation and welding, after welding the resistance of the material elongation and related physical and chemical indicators won't change.
Dimensions	L×W×H 190mm×50mm×60 mm
G.W	1.0Kg



Dies	J1
------	----


# 五、ENGINEERING DOCUMENTS



六、SPARE PARTS

# 七、INSPECTION&PACKING

#### 7.1. INSPECTION PICTURE



# **7.2. INSPECTION REPORT**



TTEM	Inspection	Specification	Inspection result	Photo	Conclusion									
									spection Standard				PO# 2019-1031 Inspection	
		1.Medel, 0425 (4Pes) , 0435				SN	ITEM	Impedion	Specification	Standard Details	Inspection		Photo	Co
		1.Medel, CH-35 (4Pes) - CH-36 (2Pes) 2.QTV: 6Pos				1		J2 cold welding machine	Copper wire: g0.25-p1.50mm Al wire g0.30-p1.80mm		OK	Contraction of the local division of the loc	THEF R	-
				1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		2	1		Copper wire: g0.8-g4.0mm Al wire: g0.80-g6.5mm		OK	- Stander		
cold melder	cold welder			A STATE OF		3	-	welding die	0.98	2 PCS	OK	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and the second s	
	-			The second second second			2 sets cold		1.20	2 PCS	OK	and the second	5 E A	10 (AR)
		1 Model: SD-10	1.1.1.1			5	machine	weiding die	1.50	2 PCS	OK	Carles a	Non-Transformed Street Street	Carrell 1
		2.QTV. 2Pis	19 C	A SALE AND	*	6	GPCS	weiding die	2.00	2 PCS	OK	a ser of	C I C I C I	N 100
						7							and and the owner state of the local division of the local divisio	+
	-					8	1 1							-
				and the set of the set	< .	9	1							
						50	1					· Distantio ·	ALC: NOT	
				dage is a specific and the	2	11		box 1	380mm*230mm*420mm	17KG		Statement of the local division of the local	1 NOT 1	
						12		box 2	390mm*430mm*470m	47KG		No. of Concession	and a second sec	A DESCRIPTION OF
des	des	1.5ize and quantity as list does										and and		100
					1	14						1		Contraction of
						15						1 Start		
				0000000		17	Final			The mach	ine reach t	e PI requirements and is	mark to shinment	
				where it is the state of the second s	-		report			7100 10000				

# 7.3. PACKIGN

#### 7.3.1.PACKING DETAILS

SN	Name	HS code	Dim	Dimension(mm)		Unit	Unit net	Unit gross	PKG
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWM-J1 Portable	8468800000	190	50	60	0.01	1.0	1.0	1
	cold welding								
	machine								
	申报要素	1 品名: 冷焊机							
		2 用途:用于电缆生产线							
		3 加工方式:用挤压的方式连接金属丝							
		4品牌:无;							
		5 型号:无							


# 7.3.2.PACKIGN PITURE





# SWMJ1T table type Welding Machine

#### -. Advantage:



- 2. Welding Results is perfect
- 2. Pulling force test: constant to the joints.
- 3. The resistance test: Resistance value is not greater than that of the original wire.

4.changes of wire diameter: In order to meet the user's need for welding the wires of various materials our company can provide the cold welding dies having various kind if inner grooves for users

# $\equiv$ . How to choose the model

#### 2.1 Single wire

Item	Model	Copper wire size	Aluminum wire size	Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1
J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3
J4TY	SWM-4T	Φ1.00-Φ4.00	Ф1.00-Ф6.00	550x550x920	130Kg	- J4
J5TY	SWM-J5TY	Ф4.00-Ф8.00	Ф4.00- 14.00	1190x570x1100	650Kg	J4

#### 2.2 Multi Wire



ltem	Model	Wire size	Dimension	N.W	Die
					Quartz
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Glass
					Sleeve
					Quartz
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm	150KG	Glass
					Sleeve

# 三、Quotation

CUS	TOMER CODE:		O:	QUOTION NO: DATE:					
	OMER INFORMATION:		MANUFACTURE:						
0001	OWER IN ORWATION.		PAYMENT TERMS:100 TT IN ADVANCE						
			BENEFICIARY: SHANGHAI SHINEWORLD ENGINEERING						
		CO., LTD.							
		,	NO.: 4507739	03470 (USD)					
				CHINA, SHANGH					
TEL:		ROAD SUB-							
FAX:				3, DALIAN ROAD, `	YANGPU				
ATTN	l:		SHANGHAI, C						
			86-21-3377						
			FAX: 86-21-33772962 SWIFT CODE: BKCHCNBJ300						
				FOB					
SN	DESCRIPTION	PICTURE	QTY	SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD				
				11102,000					
1	SWJ1T table type Welding Machine	<b>-</b>	1.00SET	600.00	600.00				
2	J1 Dies		1.00SET	120.00	120.00				
	I		<u> </u>	TOTAL:					

#### **REMARK:**

1, The detailed specification will be integral part of this quotation.



2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

3, Validity of quotation: the quotation is validly within 30 days after issue date.

- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 6, All the bank charge is paid by buyer.

# Leading the global wire and cable industry with intelligent manufacturing and new

materials.

# 四、SPECIFICATION

# SWJ1T table type cold welding machine




Product use	Copper, aluminum, gold, silver, nickel, platinum, zinc, tin, tantalum, niobium and other non-ferrous metals and their alloy wires' cold welding.
Welding Size	Cu: 0.1 mm-0.55 mm, Al: 0.1mm-0.60 mm,
Products material	The body made for Precision casting steel



Advantage	Without power supply, safe and reliable, simple operation and welding, after welding the resistance of the material material elongation and related physical and chemical indicators won't change.
Dimensions	L×W×H 260×90×220mm
G.W	3.0Kgs
Dies	J1

# 五、SPARE PARTS

# 六、ENGINEERING DOCUMENTS



#### 七、INSPECTION&PACKING

#### **7.1.INSPECTION PICTURE**





#### **7.2. INSPECTION REPORT**



#### 7.3. PACKING

#### 7.3.1.PACKING DETAILS

SN	Name	HS code	Dimension(mm)		Unit	Unit net	Unit gross	PKG	
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWJ1T Cold	8468800000	260	90	220	0.01	3.0	3.0	1
	welding machine								
	申报要素	1品名:冷焊机							
		2 用途:用于电缆	2 用途:用于电缆生产线						
		3 加工方式:用挤压的方式连接金属丝							
		4品牌:无;							
		5 型号:无							


### **PACKIGN PITURE**





# SWM-J2T cold welding machine

#### -. Advantage:



- 3. Welding Results is perfect
- 2. Pulling force test: constant to the joints.
- 3. The resistance test: Resistance value is not greater than that of the original wire.

4.changes of wire diameter: In order to meet the user's need for welding the wires of various materials our company can provide the cold welding dies having various kind if inner grooves for users

# $\equiv$ . How to choose the model

#### 2.1 Single wire

Item	Model	Copper wire Aluminum I size size		Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1
J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3
J4TY	SWM-4T	Φ1.00-Φ4.00	Ф1.00-Ф6.00	550x550x920	130Kg	- J4
J5TY	SWM-J5TY	Ф4.00-Ф8.00	Ф4.00- 14.00	1190x570x1100	650Kg	J4

#### 2.2 Multi Wire



ltem	Model	Wire size	Dimension	N.W	Die
					Quartz
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Glass
					Sleeve
					Quartz
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm	150KG	Glass
					Sleeve

# 三、Quotation

CUS	TOMER CODE:	QUOTION N DATE:	QUOTION NO: DATE:					
CUST	TOMER INFORMATION:	MANUFACT PAYMENT T BENEFICIAF CO., LTD.	MANUFACTURE: PAYMENT TERMS:100 TT IN ADVANCE BENEFICIARY: SHANGHAI SHINEWORLD ENGINEERING CO., LTD.					
TEL: FAX: ATTN		BANK NAME ROAD SUB- BANK ADDR DISTRICT, S BANK TEL.:	ACCOUNT NO.: 450773903470 (USD) BANK NAME: BANK OF CHINA, SHANGHAI DALIAN ROAD SUB-BRANCH BANK ADDRESS:NO. 688, DALIAN ROAD, YANGPU DISTRICT, SHANGHAI, CHINA BANK TEL.: 86-21-33772960 FAX: 86-21-33772962 SWIFT CODE: BKCHCNBJ300					
SN	DESCRIPTION	PICTURE	QTY	FOB SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD			
1	SWJ2T table type Welding Machine	<b>\$</b>	1.00SET	700.00	700.00			
2	J1 Dies		1.00SET	120.00	120.00			
	1			TOTAL:	820			

#### **REMARK:**

1, The detailed specification will be integral part of this quotation.



2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

3, Validity of quotation: the quotation is validly within 30 days after issue date.

- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 7, All the bank charge is paid by buyer.

# Leading the global wire and cable industry with intelligent manufacturing and new

materials.

# 四、SPECIFICATION

# SWJ2T table type cold welding machine




Product use	Copper, aluminum, gold, silver, nickel, platinum, zinc, tin, tantalum, niobium and other non- ferrous metals and their alloy wires' cold welding.
Welding Size	Cu: Ф0.30-Ф1.20mm Al: Ф0.30-Ф1.40mm,
Products material	The body made for Precision casting steel



Advantage	Without power supply, safe and reliable, simple operation and welding, after welding the resistance of the material material elongation and related physical and chemical indicators won't change.
Dimensions	L×W×H 220x130x200
G.W	9.5Kgs
Dies	J2

# 五、SPARE PARTS

# 六、ENGINEERING DOCUMENTS



#### 七、INSPECTION&PACKING

#### **7.1.INSPECTION PICTURE**





#### **7.2. INSPETION REPORT**



#### 7.3. PACKING

#### 7.3.1.PACKING DETAILS

SN	Name	HS code	Dimension(mm)		Unit	Unit net	Unit gross	PKG	
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWJ2T Cold	8468800000	220	130	200	0.01	9.5	9.5	1
	welding machine								
	申报要素	1品名: 冷焊机							
		2 用途: 用于电缆生产线							
		3 加工方式:用挤压的方式连接金属丝							
		4品牌:无;							
		5 型号:无							


#### **PACKIGN PITURE**





# SWM-J3T cold welding machine

#### -. Advantage:



# $\square$ . How to choose the model

#### 2.1 Single wire

ltem	Model	Copper wireAluModelsize		Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1
J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3
J4TY	SWM-4T	Φ1.00-Φ4.00	Ф1.00-Ф6.00	550x550x920	130Kg	- J4
J5TY	SWM-J5TY	Ф4.00-Ф8.00	Ф4.00- 14.00	1190x570x1100	650Kg	J <del>4</del>



#### 2.2 Multi Wire

ltem	Model	Wire size	Dimension	N.W	Die
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Quartz Glass Sleeve
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm	150KG	Quartz Glass Sleeve

# 三、**Quotation**

CUSTOMER CODE:			QUOTION NO: DATE:							
CUSI	OMER INFORMATION:		MANUFACT	-						
					T IN ADVANCE					
				RY: SHANGH	AI SHINEWORLD	ENGINEERING				
			CO., LTD.							
			ACCOUNT N		· · · ·					
			BANK NAME	BANK OF	CHINA, SHANGH	AI DALIAN				
TEL:			ROAD SUB-	BRANCH						
FAX:			BANK ADDR	ESS:NO. 688	3, DALIAN ROAD, `	YANGPU				
ATTN	l:		DISTRICT, S	HANGHAI, C	HINA					
			BANK TEL.:	BANK TEL.: 86-21-33772960						
			FAX: 86-21-33772962 SWIFT CODE: BKCHCNBJ300							
SN	DESCRIPTION	P	PICTURE	QTY	FOB SHANGHAI UNIT	FOB SHANGHAI AMOUNT/USD				
					PRICE/USD					
1	SWJ3T table type Welding Machine	<b>N</b>		1.00SET	700.00	700.00				
2	J1 Dies			1.00SET	120.00	120.00				
	<b>TOTAL:</b> 820.00									

#### **REMARK:**





1, The detailed specification will be integral part of this quotation.

2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

3, Validity of quotation: the quotation is validly within 30 days after issue date.

- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 8, All the bank charge is paid by buyer.

# Leading the global wire and cable industry with intelligent manufacturing and new

materials.

# 四、SPECIFICATION

# SWJ3T table type cold welding machine




Product use	Copper, aluminum, gold, silver, nickel, platinum, zinc, tin, tantalum, niobium and other non-ferrous metals and their alloy wires' cold welding.					
Welding Size	Cu: Ф1.00-Ф3.25mm Al: Ф1.00-Ф5.00mm,					
Products material	The body made for Precision casting steel					
Advantage	Without power supply, safe and reliable, simple operation and welding, after welding the resistance of the material material elongation and related physical and chemical indicators won't change.					
Dimensions L*W*H 300*180*300						



G.W	36 Kgs
Dies	J3


#### 五、SPARE PARTS

#### 六、ENGINEERING DOCUMENTS



#### 七、INSPECTION&PACKING

#### 7.1.INSPECTION PICTURE



#### **7.2. INSPETION REPORT**



+ SN		inewo	olicen Situraturd	Inspection	Soppler Spature Engineer Finlay Products Name Under NetSinkärek Griefe No SWH-TINSES 1// 1020 Internation	Constantin		+ 💠	+ hineworld		ment inspectio	n report		Supplier Signo Rodown Nave: 2 vets outly-widing machine 5 PCs awide de Order No:PC# 2019-10307 PC# 2019-1031	ture 2 oginier Augus	
•••		soperaon	apecinication	result	Process and a second se	Canolusia				nspection Standard				inspection		
							8	и па	I Impedior	Specification	Standard Details	Inspection		Photo		Consh
			1.Medel: CH-35 (4Pes) - CH-35 (2Pes) 2.QTV: 6Pes						J2 cold welding machine	Copper wire: g0.25-p1.50mm Al wire g0.30-p1.80mm		OK	1th	778.4-3277	hear	08
					A STATE AND A STAT		3	2	J3 cold welding machine	Copper wire: q0.8-q4.0mm Al wire: q0.80-q6.5mm		OK	- Aller			OK
2	cold melder	cold welder					2		weiding die	0.98	2 PCS	OK				OK
					- 17 - II	1	4		weiding die	1.20	2 PCS	OK	The second		2 67	OK
			1.Model: SD-10 2.QTV, 2Pvs		The second se		6	mach	weiton) die	1.50	2 PCS	OK	Charles - Street	CONTRACTOR AND AND	Cancilly 14	OK
			2.QTY. 2Pts	100	THE ALL MORE	10 C	(	i sta	s weiding die	2.00	2 PCS	OK			- 2 -	
								1				-	2	In the local division of the local divisione	An owner of	L
-	-	-		-				_								
					and the second second	\$	5							30	-	
							5	-				-	· Dissource ·	1.00	the second s	
					PRESIDER.		1		box 1	380mm*230mm*420mm	17KG		No. of Lot, No.			
					the standards and a second second		1		box 2	390mm*430mm*470m	47KG		VI PRIM	and and a second		
8	des	des	1.5ize and quantity as list does					3 Pack					- b-c		a in a	-
						1	2						2.4		and the second second	-
													1 Start			-
					0000000		1						he PI requirements and is	- Vanama Inna		

#### 7.3. PACKING

#### 7.3.1.PACKING DETAILS

SN	Name	HS code	Dim	ension(	mm)	Unit	Unit net	Unit gross	PKG
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWJ3T Cold	8468800000	300	180	300	0.01	36	36	1
	welding machine								
	申报要素	1品名: 冷焊机							
		2 用途:用于电线	览生产线						
		3 加工方式:用打	齐压的方式	式连接金属	禹丝				
		4品牌:无;							
		5 型号:无							


#### **7.3.2.PACKIGN PITURE**





# SWM-J4T cold welding machine

#### —. Advantage:



# $\equiv$ . How to choose the model

#### 2.1 Single wire

ltem	Model	Copper wire size	Aluminum wire size	Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1



J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3
J4TY	SWM-4T	Ф1.00-Ф4.00	Ф1.00-Ф6.00	550x550x920	130Kg	
J5TY	SWM-J5TY	Φ4.00-Φ8.00	Ф4.00- 14.00	1190x570x1100	650Kg	- J4

#### 2.2 Multi Wire

ltem	Model	Wire size	Dimension	N.W	Die
					Quartz
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Glass
					Sleeve
					Quartz
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm	150KG	Glass
					Sleeve

# $\Xi$ 、Quotation

	OMER CODE:		DATE: MANUFACTI	JRE:					
			PAYMENT TERMS:100 TT IN ADVANCE						
			BENEFICIARY: SHANGHAI SHINEWORLD ENGINEERING						
			CO., LTD.						
			ACCOUNT N	O.: 4507739	03470 (USD)				
		BANK NAME: BANK OF CHINA, SHANGHAI DALIAN							
TEL:	TEL:			ROAD SUB-BRANCH					
FAX:			BANK ADDRESS:NO. 688, DALIAN ROAD, YANGPU						
ATTN:			DISTRICT, SHANGHAI, CHINA						
			BANK TEL.: 86-21-33772960						
		1	FAX: 86-21-3	3772962 S	WIFT CODE: BK	CHCNBJ300			
SN	DESCRIPTION	PICTURE		QTY	FOB SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD			



1	SWJ3T table type Welding Machine		1.00SET	700.00					
2	J1 Dies		1.00SET	120.00					
	TOTAL:								

#### **REMARK:**

1, The detailed specification will be integral part of this quotation.

2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

3, Validity of quotation: the quotation is validly within 30 days after issue date.

- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 9, All the bank charge is paid by buyer.

# Leading the global wire and cable industry with intelligent manufacturing and new

materials.

四、SPECIFICATION

# SWJ4T table type cold welding machine






Product use	Copper, aluminum, gold, silver, nickel, platinum, zinc, tin, tantalum, niobium and other non- ferrous metals and their alloy wires' cold welding.					
Welding Size	Cu: Ф1.00-Ф4.00mm Al: Ф1.00-Ф6.00mm					
Products material	The body made for Precision casting steel					
Advantage	Without power supply, safe and reliable, simple operation and welding, after welding th resistance of the material material elongation and related physical and chemical indicate won't change.					
Dimensions	L×W×H 550x550x920					
G.W	130 Kgs					
Dies	J4					

#### 五、SPARE PARTS


#### 六、ENGINEERING DOCUMENTS





#### 七、INSPECTION&PACKING

#### **7.1.INSPECTION PICTURE**



#### **7.2. INSPETION REPORT**



#### 7.3. PACKING

### 7.3.1.PACKING DETAILS



SN	Name	HS code	Dim	ension(I	mm)	Unit	Unit net	Unit gross	PKG
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWJ4T Cold	8468800000	550	550	920	0.01	130	130	1
	welding machine								
	申报要素	1品名:冷焊机							
		2 用途:用于电缆	览生产线						
		3 加工方式:用打	济压的方:	式连接金属	禹丝				
		4品牌:无;							
		5 型号:无							

#### 7.3.2. PACKIGN PITURE



# SWMHD-1 multi-wire welding machine

#### -. Advantage:







# $\square$ . How to choose the model

# 2.1 Single wire

ltem	Model	Copper wire size	Aluminum wire size	Dimension	N.W	Die
		(mm)	(mm)	(mm)		
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1
J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3
J4TY	SWM-4T	Φ1.00-Φ4.00	Ф1.00-Ф6.00	550x550x920	130Kg	
J5TY	SWM-J5TY	Ф4.00-Ф8.00	Ф4.00- 14.00	1190x570x1100	650Kg	- J4

#### 2.2 Multi Wire

ltem	Model	Wire size	Dimension	N.W	Die
					Quartz
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Glass
					Sleeve
					Quartz
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm	150KG	Glass
					Sleeve

# $\Xi$ 、Quotation

CUSTOMER CODE:	QUOTION NO:
COSTOMEN CODE.	DATE:



CUSTOMER INFORMATION:	MANUFACTURE:					
	PAYMENT TERMS:100 TT IN ADVANCE					
	BENEFICIARY: SHANGHAI SHINEWORLD ENGINEERING					
	CO., LTD.					
	ACCOUNT NO.: 450773903470 (USD)					
	BANK NAME: BANK OF CHINA, SHANGHAI DALIAN					
TEL:	ROAD SUB-BRANCH					
FAX:	BANK ADDRESS:NO. 688, DALIAN ROAD, YANGPU					
ATTN:	DISTRICT, SHANGHAI, CHINA					
	BANK TEL.: 86-21-33772960					
	FAX: 86-21-33772962 SWIFT CODE: BKCHCNBJ300					

SN	DESCRIPTION	PICTURE	QTY	FOB SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD
1	SWMHD-1 multi-wire welding machine 0.5 mm <sup>2</sup> -10mm <sup>2</sup>		1.00SET	5,000.00	5,000.00
2	Quartz Glass Sleeve		1.00SET	0.5.00	0.5.00
		·		TOTAL:	

#### **REMARK:**

- 1, The detailed specification will be integral part of this quotation.
- 2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.
- 3, Validity of quotation: the quotation is validly within 30 days after issue date.
- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 10, All the bank charge is paid by buyer.

#### Leading the global wire and cable industry with intelligent manufacturing and new



materials.

#### 四、SPECIFICATION

# SWMHD-1 multi-wire welding machine




Model	SWMHD-1	SWMHD-2
Welding range	0.5 mm <sup>2</sup> -10mm <sup>2</sup>	16mm <sup>2</sup> -120mm <sup>2</sup>
Voltage	220V	380V
Power	3kva	40kva
Multiple gears	12	12
Dimensions	600*500*1200mm	1260*660*1200mm



G.W	45kg	150kg
N.W	55kg	150kg

# 五、SPARE PARTS

#### 六、ENGINEERING DOCUMENTS



#### 七、INSPECTION&PACKING

#### **7.1.INSPECTION PICTURE**



#### **7.2. INSPETION REPORT**



+ SN		inewo	olicen Situraturd	Inspection	Soppler Spature Engineer Finlay Products Name Under NetSinkärek Griefe No SWH-TINSES 1// 1020 Internation	Constantin		+ 💠	+ hineworld		ment inspectio	n report		Supplier Signo Rodown Nave: 2 vets outly-widing machine 5 PCs awide de Order No:PC# 2019-10307 PC# 2019-1031	ture 2 oginier Augus	
•••		soperaon	apecinication	result	Process and a second se	Canolusia				nspection Standard				inspection		
							8	и па	I Impedior	Specification	Standard Details	Inspection		Photo		Consh
			1.Medel: CH-35 (4Pes) - CH-35 (2Pes) 2.QTV: 6Pes						J2 cold welding machine	Copper wire: g0.25-p1.50mm Al wire g0.30-p1.80mm		OK	1th	778.4-3277	hear	08
					A STATE AND A STAT		3	2	J3 cold welding machine	Copper wire: q0.8-q4.0mm Al wire: q0.80-q6.5mm		OK	- Aller			OK
2	cold melder	cold welder					2		weiding die	0.98	2 PCS	OK				OK
					- 17 - II	1	4		weiding die	1.20	2 PCS	OK	The second		2 67	OK
			1.Model: SD-10 2.QTV, 2Pvs		The second se		6	mach	weiton) die	1.50	2 PCS	OK	Charles - Street	CONTRACTOR AND AND	Cancilly 14	OK
			2.QTY. 2Pts	100	THE ALL MORE	10 A	(	i sta	s weiding die	2.00	2 PCS	OK			- 2 -	
								1				-	2	In the local division of the local divisione	An owner of	L
-	-	-		-				_								
					and the second second	\$	5							30	-	
							5	-				-	· Dissource ·	1.00	the second s	
					PRESIDER.		1		box 1	380mm*230mm*420mm	17KG		No. of Lot, No.			
					the state of the second s		1		box 2	390mm*430mm*470m	47KG		VI PRIM	and and a second	and the second second	
8	des	des	1.5ize and quantity as list does					3 Pack					- b-c		a in a	-
						1	2						2.4		and the second second	-
													1 Start			-
					0000000		1						he PI requirements and is	- Vanama Inna		

#### 7.3. PACKING

#### 7.3.1.PACKING DETAILS

SN	Name	HS code	Dim	ension(	mm)	Unit	Unit net	Unit gross	PKG
						V(M <sup>3</sup> )	Weight	Weight	NO
1	SWMHD-1 multi- wire welding machine	8468800000	600	500	120	0.01	198	220	1
	申报要素	1品名:冷焊机							
		2 用途:用于电线	览生产线						
		3 加工方式:用打	3 加工方式:用挤压的方式连接金属丝						
		4品牌:无;	4品牌:无;						
		5 型号:无							

#### 7.3.2. PACKIGN PITURE




# SWMHD-2 multi-wire welding machine

www.shineworldgroup.com

ADD: ROOM 1603, NO.950 DALIAN ROAD, TEL: +86-21-33778841 +86-21-33773077 YANGPU DISTRICT, SHANGHAI, CHINA. FAX: +86-21-55512639



#### -. Advantage:



### $\square$ . How to choose the model

#### 2.1 Single wire

ltem	Model	Copper wire size	Aluminum wire size	Dimension	N.W	Die	
		(mm)	(mm)	(mm)			
J1 Portable	SWM-J1	Ф0.10~0.50	Ф0.10~0.50	160x50x160	1Kg	J1	
J1	SWMJ1T	Ф0.10~0.55	Ф0.10~0.60	260×90×220mm	3Kg	J1	
J2	SWM-2T	Ф0.30-Ф1.20	Ф0.30-Ф1.40	220x130x200	9.5Kg	J2	
J3	SWM-3T	Ф1.00-Ф3.25	Ф1.00-Ф5.00	300x180x300	36Kg	J3	
J4TY	SWM-4T	Φ1.00-Φ4.00	Ф1.00-Ф6.00	550x550x920	130Kg		
J5TY	SWM-J5TY	Φ4.00-Φ8.00	Ф4.00- 14.00	1190x570x1100	650Kg	- J4	

#### 2.2 Multi Wire

Item	Model	Wire size	Dimension	N.W	Die	
------	-------	-----------	-----------	-----	-----	--



					Quartz
1	SWMHD-1	0.5 mm2-10mm2	600x500x1200mm	45KG	Glass
					Sleeve
				150KG	Quartz
2	SWMHD-2	16mm2-120mm2	1260*660*1200mm		Glass
					Sleeve

# **Ξ**、Quotation

	PAYMENT TERMS:100 TT IN ADVANCE						
	BENEFICIARY: SHANGHAI SHINEWORLD ENGINEERING						
	CO., LTD.						
	ACCOUNT NO.: 450773	. ,					
	BANK NAME: BANK C	F CHINA, SHANGH	AI DALIAN ROAD				
	SUB-BRANCH						
	BANK ADDRESS:NO. 6		YANGPU				
	DISTRICT, SHANGHAI,						
	BANK TEL.: 86-21-337						
	FAX: 86-21-33772962 SWIFT CODE: BKCHCNBJ300						
SN DESCRIPTION	CTURE QTY	FOB SHANGHAI UNIT PRICE/USD	FOB SHANGHAI AMOUNT/USD				
SWMHD-2 multi-wire 1 welding machine 0.5 mm <sup>2</sup> -10mm <sup>2</sup>	1.00SET	12000.00	12000.00				
2 Quartz Glass Sleeve	1.00SET	0.5.00	0.5.00				
	I	TOTAL					



#### **REMARK:**

1, The detailed specification will be integral part of this quotation.

2, Price basis: Price are for delivery FOB Shanghai, China according to INCOTERMS 2010. And the exchange rate for USD: RMB is 1:6.60. If the exchange rate is changed over 0.5%, the quotation will be adjusted accordingly even in the validity time.

- 3, Validity of quotation: the quotation is validly within 30 days after issue date.
- 4, Delivery period: the delivery time is 10 days after receipt of your down payment
- 5, the quotation is based china standard material and package.
- 11, All the bank charge is paid by buyer.

Leading the global wire and cable industry with intelligent manufacturing and new

materials.

#### 四、SPECIFICATION

# SWMHD-2 multi-wire welding machine






Model	SWMHD-10	SWMHD-20			
Welding range	CU:1.00 mm <sup>2</sup> -16mm <sup>2</sup> AL:2.00mm <sup>2</sup> -25.00mm <sup>2</sup>	CU:50 mm <sup>2</sup> -300mm <sup>2</sup> AL:50mm <sup>2</sup> -400mm <sup>2</sup>			
Voltage	220V	380V			
Power	3kva	40kva			
Multiple gears	12	12			
Dimensions	600*500*1200mm	1400*680*1820mm			
G.W	56	400			
N.W	56	400			

#### 五、SPARE PARTS

### 六、ENGINEERING DOCUMENTS



# 七、INSPECTION&PACKING

#### **7.1.INSPECTION PICTURE**



#### **7.2. INSPETION REPORT**



•			ulicer Sitzestand		Suppler Signature Engineer Prolay Provident Name Interventional 2016-11-28 Croke Net Static Tracket 1910220 Intervention	C)	+-	Shi	neworld	Equip	ment inspection	report	Supplier Protein two: 2 etc. oud welding muchiw Exct a wide de O'Offer Not D'Off 2010-1030	Signatur Founder Aug	just
SN	TTEM	Inspection	Specification	result	Photo	Conclusio			i.	spection Standard			PO# 2019-1031	,	
							SN	ПЕМ	Inspection	Specification	Standard Details	Inspection result	Photo		Conclus
3 66			1.Medel: CH-38 (4Pes) - CH-38 (2Pes) 2.QTV: 6Pes				1		machine J3 cold welding	Copperwire: g0.25-p1.50mm Al wire:g0.30-p1.80mm Copperwire: g0.80-p6.5mm Al wire: g0.80-p6.5mm		OK	H 29 19		ОК
	cold welder	cold weider		-		1	3 4 2	sets cold	weiding die weiding die	0.98	2 PCS 2 PCS	OK			OK
			1 Model: SD-10 2 QTV: 2Pvs	-		1	0,	welding machine 6 PCS weldin die	weiding die weiding die	150 2.00	2 PCS 2 PCS	OK		+-+	ОК
						5	9 50		box 1	380mm*230mm*420mm	1765	_	Changes		F
,			1.5te and quantity as lai does			<b>_</b>	11		box 1 box 2		47KG				

#### 7.3. PACKING

# 7.3.1.PACKING DETAILS

SN	Name	HS code	Dimension(mm)		Unit	Unit net	Unit gross	PKG			
						V(M <sup>3</sup> )	Weight	Weight	NO		
1	SWJ4T Cold	8468800000	1260	660	1200	0.01	150	150	1		
	welding machine										
	申报要素	1 品名: 冷焊机									
		2 用途: 用于电缆生产线									
		3 加工方式:用挤压的方式连接金属丝 4 品牌:无;									
		5 型号: 无									

#### 7.3.2. PACKIGN PITURE

